Telefax:+41 62 2067585

Print date: 23.11.2017



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MIT-Rock, Comp. A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesive mortar for fastening elements A-component (resin)

### Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name: Mungo Befestigungstechnik AG

Street: Bornfeldstraße 2
Place: CH-4600 Olten
Telephone: +41 62 2067575

e-mail: mungo@mungo.swiss Internet: www.mungo.swiss

**1.4. Emergency telephone** Schweiz: 145

number: Int.: +41 44 251 51 51 (Schweizerisches Toxikologisches Informationszentrum -

24 h)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Reproductive toxicity: Repr. 2

Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 1

Hazard Statements:

May cause respiratory irritation. Causes serious eye irritation.

Causes skin irritation.

Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

# Regulation (EC) No. 1272/2008

#### Hazard components for labelling

styrene

Signal word: Danger

**Pictograms:** 





GB - EN

#### **Hazard statements**

H335 May cause respiratory irritation. H319 Causes serious eye irritation. H315 Causes skin irritation.

H361d Suspected of damaging the unborn child.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 2 of 10

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local/regional/national/international

regulation.

#### Special labelling of certain mixtures

EUH208 Contains 1,4-naphthoquinone. May produce an allergic reaction.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name					
	EC No	Index No	REACH No			
	Classification according	g to Regulation (EC) No. 1272	2008 [CLP]			
100-42-5	styrene			20 - < 25 %		
	202-851-5	601-026-00-0	01-2119457861-32			
	Flam. Liq. 3, Repr. 2, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H226 H361d H332 H315 H319 H335 H372 H304 H412					
121-69-7	N,N-dimethylaniline					
	204-493-5	612-016-00-0				
	Carc. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Aquatic Chronic 2; H351 H331 H311 H301 H411					
130-15-4	1,4-naphthoquinone					
	204-977-6					
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1C, Eye Irrit. 2, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H319 H317 H335 H400 H410					

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an

Print date: 23.11.2017



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 3 of 10

ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Extinguishing powder Water spray jet Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 4 of 10

#### Requirements for storage rooms and vessels

Keep container tightly closed.

Keep only in the original container in a cool, well-ventilated place.

#### Advice on storage compatibility

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature: 5-25°C

# 7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
121-69-7	N,N-Dimethylaniline	5	25		TWA (8 h)	WEL
		10	50		STEL (15 min)	WEL
100-42-5	Styrene	100	430		TWA (8 h)	WEL
		250	1080		STEL (15 min)	WEL

#### 8.2. Exposure controls



#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Wear eye/face protection.

# **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,7mm NBR (Nitrile rubber) >480min (EN374)

#### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 5 of 10

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: light beige

pH-Value: not determined

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not applicable

**Flammability** 

Solid: not determined Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: not determined

Density (at 20 °C): 1,56 g/cm³

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 6 of 10

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
100-42-5	styrene							
	oral	LD50 mg/kg	2650	Rat	GESTIS			
	dermal	LD50 mg/kg	> 2000	Rat				
	inhalative (4 h) vapour	LC50	12 mg/l	Rat	GESTIS			
	inhalative aerosol	ATE	1,5 mg/l					
121-69-7	N,N-dimethylaniline							
	oral	LD50 mg/kg	1450	Rat				
	dermal	LD50 mg/kg	1700	Rabbit				
	inhalative (4 h) vapour	LC50 mg/l	> 5,1	Rat				
	inhalative aerosol	ATE	0,5 mg/l					
130-15-4	1,4-naphthoquinone							
	oral	LD50 mg/kg	190	Rat				
	dermal	LD50 mg/kg	202	Rat				
	inhalative vapour	ATE	0,5 mg/l					
	inhalative aerosol	LC50	46 mg/l	Rat				

### **Additional information on tests**

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

# 12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

# MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 7 of 10

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d] S	Species	Source	Method	
100-42-5	styrene							
	Acute fish toxicity	LC50 mg/l	4,02	96 h		GESTIS		
	Acute algae toxicity	ErC50	1,4 mg/l	72 h		GESTIS		
	Acute crustacea toxicity	EC50	4,7 mg/l	48 h		GESTIS		
	Crustacea toxicity	NOEC mg/l	1,01	21 d		GESTIS		
121-69-7	N,N-dimethylaniline							
	Acute fish toxicity	LC50 mg/l	65,6	96 h				
	Acute algae toxicity	ErC50	340 mg/l	72 h				
	Acute crustacea toxicity	EC50	5 mg/l	48 h				
130-15-4	1,4-naphthoquinone							
	Algea toxicity	NOEC mg/l	0,011					

#### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-42-5	styrene	3,05
130-15-4	1,4-naphthoquinone	1,8

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### Waste disposal number of used product



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 8 of 10

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

Waste disposal number of contaminated packaging

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:**No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. A

Revision date: 21.11.2017 Product code: SDB0022 Page 9 of 10

2004/42/EC (VOC): 173,8 g/l

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

ATE: Acute Toxicity Estimates CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

ErC50: EC50 in terms of reduction of growth rate

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled. H332 Harmful if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.



according to Regulation (EC) No 1907/2006

	MIT-Rock, Comp. A	
Revision date: 21.11.2017	Product code: SDB0022	Page 10 of 10

H372 Causes damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains 1,4-naphthoguinone. May produce an allergic reaction.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Telefax:+41 62 2067585



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 1 of 9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MIT-Rock, Comp. B

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

compound mortar B-component (hardener)

#### Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name: Mungo Befestigungstechnik AG

Street: Bornfeldstraße 2
Place: CH-4600 Olten
Telephone: +41 62 2067575

e-mail: mungo@mungo.swiss Internet: www.mungo.swiss

**1.4. Emergency telephone** Schweiz: 145

number: Int.: +41 44 251 51 51 (Schweizerisches Toxikologisches Informationszentrum -

24 h)

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# **Regulation (EC) No. 1272/2008**

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

Causes serious eye irritation. May cause an allergic skin reaction.

# 2.2. Label elements

#### **Regulation (EC) No. 1272/2008**

# Hazard components for labelling

dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

Pictograms:



#### **Hazard statements**

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container to in accordance with local/regional/national/international

regulation.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 2 of 9

#### 2.3. Other hazards

This substance meets the PBT criteria of REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name	Chemical name				
	EC No	Index No REACH No				
	Classification according to Regulation (EC) No. 1272/2008 [CLP]					
94-36-0	dibenzoyl peroxide; benzoyl peroxide					
	202-327-6	617-008-00-0	01-2119511472-50			
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H241 H319 H317 H400 H410					

Full text of H and EUH statements: see section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Change contaminated, saturated clothing.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing powder

Water spray jet

# Unsuitable extinguishing media

Full water jet

Foam.

### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Carbon monoxide.

Print date: 23.11.2017



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 3 of 9

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation.

Use personal protection equipment.

Special danger of slipping by leaking/spilling product.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

When using do not eat, drink or smoke.

Use protective skin cream before handling the product.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed.

Keep/Store only in original container.

# Advice on storage compatibility

Do not use for products which come into contact with the food stuffs.

Store in a well-ventilated place. Keep cool.

# Further information on storage conditions

Keep container tightly closed in a cool place.

storage temperature 5-25°C

#### 7.3. Specific end use(s)

see section 1.2

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 4 of 9

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
94-36-0 dibenzoyl peroxide; benzoyl peroxide						
Consumer DN	IEL, long-term	oral	systemic	2 mg/kg bw/day		
Worker DNEL	, long-term	dermal		13,3 mg/kg bw/day		
Worker DNEL	., long-term	inhalation	systemic	39 mg/m³		

#### **PNEC values**

CAS No	Substance					
Environmenta	Environmental compartment Value					
94-36-0	94-36-0 dibenzoyl peroxide; benzoyl peroxide					
Freshwater	0,00002 mg/l					
Marine water		0,000002 mg/l				
Freshwater se	0,013 mg/kg					
Marine sedim	0,001 mg/kg					

#### 8.2. Exposure controls





#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Suitable eye protection: Wear eye/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 5 of 9

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: black

Odour: characteristic

pH-Value: not applicable

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined

not determined

not applicable

**Flammability** 

Solid: not determined
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Available oxygen content (%) < 1%

no classification

Vapour pressure: not determined

Density (at 20 °C): 1,59 g/cm³

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient:

Vapour density:

not determined

rot determined

not determined

not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

see section 10.3

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

#### 10.4. Conditions to avoid

see section 7.2



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 6 of 9

#### 10.5. Incompatible materials

Oxidising agent, strong

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

# **Acute toxicity**

CAS No	Chemical name							
	Exposure route	Dose	Species	Source	Method			
94-36-0	dibenzoyl peroxide; benzoyl peroxide							
	oral	LD50 >5000 mg/kg	Rat					

#### Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus.)

IC10: (0 - 72 h) = 30 mg/lIC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna) EC0/NOEC (48h) = 100 mg/l EC50 (48h) = >500 mg/l EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio) LC0/NOEC : 250 mg/l LC50 :> 500 mg/l LC100 :>> 500 mg/l

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
94-36-0	dibenzoyl peroxide; ben	zoyl peroxid	de					
	Acute fish toxicity	LC50 mg/l	0,0602		Oncorhynchus mykiss (Rainbow trout)	OECD 203		
	Acute algae toxicity	ErC50 mg/l	0,0711		Pseudokirchneriella subcapitata	OECD 201		
	Acute crustacea toxicity	EC50	0,11 mg/l		Daphnia magna (Big water flea)	OECD 202		
	Algea toxicity	NOEC mg/l	0,02		Pseudokirchneriella subcapitata	OECD 201		
	Crustacea toxicity	NOEC mg/l	0,001		Daphnia magna (Big water flea)	OECD 211		
	Acute bacteria toxicity	(35 mg/l)		0,5 h		OECD 209		

### 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

MIT-Rock,	Comp. B
Droduct and	In CDD0000

Revision date: 20.11.2017 Product code: SDB0020

Page 7 of 9

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
94-36-0	dibenzoyl peroxide; benzoyl peroxide			
	OECD 301D	71%	28	
	Readily biodegradable (according to OECD criteria).			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	dibenzoyl peroxide; benzoyl peroxide	3,2

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)



Revi

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

	MIT-Rock, Comp. B
ision date: 20.11.2017	Product code: SDB0020

Page 8 of 9

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2004/42/EC (VOC): 68,37 g/l

**Additional information** 

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3,15,16.



according to Regulation (EC) No 1907/2006

MIT-Rock, Comp. B

Revision date: 20.11.2017 Product code: SDB0020 Page 9 of 9

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

IATA: International Air Transport Association

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

#### Relevant H and EUH statements (number and full text)

H241 Heating may cause a fire or explosion.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)