

according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MIT-Hybrid Plus, Comp. A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesive mortar for fastening elements A-component (resin)

#### Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name: Mungo Befestigungstechnik AG

Street: Bornfeldstraße 2 Place: CH-4600 Olten

Telephone: +41 62 2067575 Telefax:+41 62 2067585

e-mail: mungo@mungo.swiss Internet: www.mungo.swiss

1.4. Emergency telephone Schweiz: 145 Int.: +41 44 251 51 51 (Schweizerisches Toxikologisches

number: Informationszentrum - 24 h)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1B

Hazard Statements:

May cause an allergic skin reaction.

#### 2.2. Label elements

### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Tetramethylene dimethacrylate;

Methacrylic acid, monoester with propane-1,2-diol;

p-tert-Butylcatechol

Signal word: Warning

**Pictograms:** 



#### Hazard statements

H317 May cause an allergic skin reaction.

#### **Precautionary statements**

P261 Avoid breathing vapour.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulation.



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 2 of 12

#### Additional advice on labelling

For distribution to the general public:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name		Chemical name		
	EC No	Index No	REACH No		
	GHS Classification	•	•		
2082-81-7	Tetramethylene dimethacrylate			15 - < 20 %	
	218-218-1		01-2119967415-30		
	Skin Sens. 1B; H317		•		
27813-02-1	Methacrylic acid, monoester wit	h propane-1,2-diol		< 1 %	
	248-666-3		01-2119490226-37		
	Eye Irrit. 2, Skin Sens. 1; H319	H317			
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol			< 1 %	
	254-075-1		01-2119980937-17		
	Acute Tox. 2, Aquatic Chronic 3	; H300 H412	•		
6846-50-0	1-Isopropyl-2,2-dimethyltrimethy	ylene Diisobutyrate		< 1 %	
	229-934-9		01-2119451093-47		
	Repr. 2, Aquatic Chronic 3; H36	31d H412			
98-29-3	p-tert-Butylcatechol			< 1 %	
	202-653-9		01-2119548368-28		
	Acute Tox. 4, Acute Tox. 4, Skin Chronic 2; H312 H302 H314 H3	Corr. 1B, Eye Dam. 1, 318 H317 H400 H411	Skin Sens. 1, Aquatic Acute 1, Aquatic		

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 3 of 12

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Extinguishing powder Water spray iet

Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

# Carbon monoxide **5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 4 of 12

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

#### Hints on joint storage

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature: 5 - 25°C

#### 7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
2082-81-7	Tetramethylene dimethacrylate				
Worker DNEL	., long-term	inhalation	systemic	14,5 mg/m <sup>3</sup>	
Worker DNEL	., long-term	dermal	systemic	4,2 mg/kg bw/day	
Consumer DN	IEL, long-term	inhalation	systemic	4,3 mg/m <sup>3</sup>	
Consumer DN	IEL, long-term	dermal	systemic	2,5 mg/kg bw/day	
Consumer DN	IEL, long-term	oral	systemic	2,5 mg/kg bw/day	
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
Worker DNEL	., long-term	inhalation	systemic	14,7 mg/m <sup>3</sup>	
Worker DNEL	., long-term	dermal	systemic	4,2 mg/kg bw/day	
Consumer DN	IEL, long-term	inhalation	systemic	8,8 mg/m <sup>3</sup>	
Consumer DN	IEL, long-term	dermal	systemic	2,5 mg/kg bw/day	
Consumer DN	IEL, long-term	oral	systemic	2,5 mg/kg bw/day	
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol				
Worker DNEL	., long-term	inhalation	systemic	2 mg/m³	
Worker DNEL	., long-term	dermal	systemic	0,6 mg/kg bw/day	
98-29-3	p-tert-Butylcatechol				
Worker DNEL	., long-term	inhalation	systemic	1,6 mg/m <sup>3</sup>	



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 5 of 12

#### **PNEC values**

CAS No Substance	
Environmental compartment	Value
2082-81-7 Tetramethylene dimethacrylate	
Freshwater	0,087 mg/l
Marine water	0,0087 mg/l
Freshwater sediment	3,12 mg/kg
Marine sediment	0,312 mg/kg
Micro-organisms in sewage treatment plants (STP)	20 mg/l
Soil	0,573 mg/kg
27813-02-1 Methacrylic acid, monoester with propane-1,2-diol	
Freshwater	0,904 mg/l
Marine water	0,904 mg/l
Freshwater sediment	6,28 mg/kg
Marine sediment	6,28 mg/kg
Micro-organisms in sewage treatment plants (STP)	10 mg/l
Soil	0,727 mg/kg
38668-48-3 1,1'-(p-Tolylimino)dipropan-2-ol	
Freshwater	0,017 mg/l
Marine water	0,0017 mg/l
Freshwater sediment	0,0782 mg/kg
Marine sediment	0,00782 mg/kg
Micro-organisms in sewage treatment plants (STP)	199,5 mg/l
Soil	0,005 mg/kg
6846-50-0 1-lsopropyl-2,2-dimethyltrimethylene Diisobutyrate	
Freshwater	0,014 mg/l
Marine water	,0014 mg/l
Freshwater sediment	1,15 mg/kg
98-29-3 p-tert-Butylcatechol	
Freshwater	0,12 mg/kg
Marine water	0,012 mg/kg
Freshwater sediment	0,69 mg/kg
Marine sediment	0,069 mg/kg
Micro-organisms in sewage treatment plants (STP)	0,16 mg/l

#### Additional advice on limit values

To date, no national critical limit values exist.

# 8.2. Exposure controls









according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 6 of 12

#### Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

#### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

#### Eye/face protection

Wear eye protection/face protection. Safety goggles with side shields are recommended.

### Hand protection

Recommended material: NBR (Nitrile rubber)

Breakthrough time: > 480 min

Thickness of the glove material: 0,5 mm

DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: light beige

Test method

pH-Value: not determined

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
not determined
not determined
not applicable

Flammability

Solid: not determined
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): 1,77 g/cm<sup>3</sup>



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 7 of 12

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Response: Oxidising agent, strong

#### 10.4. Conditions to avoid

Heat. Keep cool. Protect from sunlight.

#### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 8 of 12

#### **Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
2082-81-7	Tetramethylene dimethacrylate				
	oral	LD50	10066 mg/kg	Rat	
	dermal	LD50	>3000 mg/kg	Rabbit	
27813-02-1	Methacrylic acid, monoester with	propane-1	,2-diol		
	oral	LD50	11200 mg/kg	Rat	
	dermal	LD50	> 5000 mg/kg	Rabbit	
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol				
	oral	LD50	27,5 mg/kg	Rat	
6846-50-0	1-Isopropyl-2,2-dimethyltrimethy	lene Diisob	utyrate		
	oral	LD50	3200 mg/kg	Rat	
	dermal	LD50	18900 mg/kg	Guinea pig	
98-29-3	p-tert-Butylcatechol				
	oral	LD50	815 mg/kg	Rat	
	dermal	LD50	1331 mg/kg	Rat	

#### **Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source
2082-81-7	Tetramethylene dimethacryla	Tetramethylene dimethacrylate				
	Algea toxicity	NOEC	2,11 mg/l	3 d		
	Crustacea toxicity	NOEC	5,09 mg/l	21 d		
	Acute bacteria toxicity	(32,5 mg	<sub>J</sub> /l)			
27813-02-1	Methacrylic acid, monoester	r with propane-1,2-diol				
	Acute fish toxicity	LC50	379 mg/l	96 h		
	Acute crustacea toxicity	EC50	>143 mg/l	48 h		
	Algea toxicity	NOEC	>97,2 mg/l	3 d		
	Crustacea toxicity	NOEC	45,2 mg/l	21 d		
98-29-3	p-tert-Butylcatechol					
	Acute fish toxicity	LC50	0,12 mg/l	96 h		
	Acute algae toxicity	ErC50	10,17 mg/l	72 h		
	Acute crustacea toxicity	EC50	0,48 mg/l	48 h		
	Acute bacteria toxicity	(16 mg/l)	)	3 h		

# 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

### MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 9 of 12

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
2082-81-7	Tetramethylene dimethacrylate				
	OECD 310	84%	28		
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol				
	OECD 310	81%	28		

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2082-81-7	Tetramethylene dimethacrylate	3,1
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	2,1

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations.

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 10 of 12

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
 14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

**Additional information** 

VOC content: 0,7 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 11 of 12

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### **Changes**

This data sheet contains changes from the previous version in section(s): 15.

#### Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound Acute Tox. 2: Acute toxicity, Category 2 Acute Tox. 3: Acute toxicity, Category 3 Acute Tox. 4: Acute toxicity, Category 4

Aquatic Chronic 1: Long-term aquatic hazard, Category 1 Aquatic Chronic 3: Long-term aquatic hazard, Category 3 Eye Dam. 1: Serious eye damage/eye irritation, Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Category 2 Skin Corr. 1B: Skin corrosion/irritation, Category 1B Skin Sens. 1: Skin sensitilization, Category 1

Skin Sens. 1B: Skin sensitilization, Category 1B

Relevant H and EUH statements (number and full text)

H300	Fatal if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Suspected of damaging the unborn child.

H361d



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. A

Print date: 15.07.2019 Product code: SDB0038 Page 12 of 12

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 1 of 10

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

MIT-Hybrid Plus, Comp. B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

compound mortar B-component (hardener)

#### Uses advised against

no restriction

#### 1.3. Details of the supplier of the safety data sheet

Company name: Mungo Befestigungstechnik AG

Street: Bornfeldstraße 2 Place: CH-4600 Olten

Telephone: +41 62 2067575 Telefax:+41 62 2067585

e-mail: mungo@mungo.swiss Internet: www.mungo.swiss

1.4. Emergency telephone Schweiz: 145 Int.: +41 44 251 51 51 (Schweizerisches Toxikologisches

number: Informationszentrum - 24 h)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories:

Respiratory or skin sensitisation: Skin Sens. 1

Hazard Statements:

May cause an allergic skin reaction.

#### 2.2. Label elements

### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Dibenzoyl peroxide

Signal word: Warning

**Pictograms:** 



#### **Hazard statements**

H317 May cause an allergic skin reaction.

#### **Precautionary statements**

P261 Avoid breathing vapour.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulation.

#### Additional advice on labelling

For distribution to the general public:



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 2 of 10

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name	Chemical name			
	EC No	EC No Index No REACH No			
	GHS Classification				
94-36-0	Dibenzoyl peroxide	Dibenzoyl peroxide			
	202-327-6	202-327-6 617-008-00-0 01-2119511472-50			
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H241 H319 H317 H400 H410				

Full text of H and EUH statements: see section 16.

#### **Further Information**

The product has been tested for aquatic toxicity. The tests show no need for classification of the product as toxic and harmful to aquatic life. Test reports are available.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam

Extinguishing powder

Water spray jet



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 3 of 10

Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic

Carbon monoxide

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand

Treat the recovered material as prescribed in the section on waste disposal.

Retain contaminated washing water and dispose it.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only outdoors or in a well-ventilated area.

Wear personal protection equipment (refer to section 8).

Avoid contact with skin, eyes and clothes.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling.

Take off contaminated clothing and wash it before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a place accessible by authorized persons only. Keep only in the original container in a cool, well-ventilated place.

### Hints on joint storage

Do not store together with: Oxidising agent, strong

Do not use for products which come into contact with the food stuffs.

#### Further information on storage conditions

storage temperature: 5 - 25°C

#### 7.3. Specific end use(s)

see section 1.2



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 4 of 10

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
94-36-0	Dibenzoyl peroxide			
Consumer DNEL, long-term		oral	systemic	2 mg/kg bw/day
Worker DNEL, long-term		dermal		13,3 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	39 mg/m <sup>3</sup>

#### **PNEC values**

CAS No	Substance		
Environment	Environmental compartment		
94-36-0 Dibenzoyl peroxide			
Freshwater	Freshwater		
Marine water		0,000002 mg/l	
Freshwater sediment		0,013 mg/kg	
Marine sediment		0,001 mg/kg	

#### 8.2. Exposure controls







#### Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

#### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

#### Eye/face protection

Wear eye protection/face protection. Safety goggles with side shields are recommended.

#### Hand protection


Recommended material: NBR (Nitrile rubber)

Breakthrough time: > 480 min

Thickness of the glove material: 0,5 mm

DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.





according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 5 of 10

#### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste Colour: black

Odour: characteristic

**Test method** 

pH-Value: not applicable

Changes in the physical state

Melting point:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
Initial boiling point and boiling range:
Inot determined
Inot applicable

**Flammability** 

Solid: not determined Gas: not applicable
Lower explosion limits: not determined Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:

Density:

1,77 g/cm³

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient: not determined
Vapour density: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

see section 10.3



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 6 of 10

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

#### 10.4. Conditions to avoid

see section 7.2

#### 10.5. Incompatible materials

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

Benzoic acid Benzene Biphenyl

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

# **Acute toxicity**

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
94-36-0	Dibenzoyl peroxide					
	oral	LD50	>5000 mg/kg	Rat		

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus)

IC10: (0 - 72h) = 60 mg/lIC50: (0 - 72h) = > 500 mg/l

OECD 202 (Daphnia magna (Big water flea))

EC0/NOEC (48h) = 100 mg/lEC50 (48h) = > 500 mg/lEC100 (48h) = >> 500 mg/l

OECD 203 (Brachydanio rerio (zebra-fish))

LC0/NOEC = 500 mg/l LC50 = > 500 mg/l LC100 = >>500 mg/l



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 7 of 10

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	
94-36-0	Dibenzoyl peroxide						
	Acute fish toxicity	LC50	0,0602 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203	
	Acute algae toxicity	ErC50	0,0711 mg/l		Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50	0,11 mg/l		Daphnia magna (Big water flea)	OECD 202	
	Algea toxicity	NOEC	0,02 mg/l		Pseudokirchneriella subcapitata	OECD 201	
	Crustacea toxicity	NOEC	0,001 mg/l		Daphnia magna (Big water flea)	OECD 211	
	Acute bacteria toxicity	(35 mg/l)	l	0,5 h		OECD 209	

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	<del>-</del>		-	
94-36-0	Dibenzoyl peroxide				
	OECD 301D	71%	28		
	Readily biodegradable (according to OECD criteria	ı).			

#### 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	Dibenzoyl peroxide	3,2

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

# 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Advice on disposal

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations.

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### Waste disposal number of waste from residues/unused products



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 8 of 10

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

#### Waste disposal number of used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

No dangerous good in sense of this transport regulation.

#### Waste disposal number of contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
 14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:
 14.2. UN proper shipping name:
 14.3. Transport hazard class(es):
 14.4. Packing group:
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.
 No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

#### **SECTION 15: Regulatory information**



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 9 of 10

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

VOC content: 0,9 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### **Changes**

This data sheet contains changes from the previous version in section(s): 15.

#### Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation

(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)

ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging

DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration, 50%

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)

ICAO: International Civil Aviation Organization

IC50: Inhibitory concentration, 50%

IMDG: International Maritime Code for Dangerous Goods

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

NOEC: No Observed Effect Concentration

OECD: Oragnisation for Economic Co-operation and Development

PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations

Concerning the International Carriage of Dangerous Goods by Rail)

VOC: Volatile organic compound

Aquatic Chronic 3: Long-term aquatic hazard, Category 3

Acute Tox. 2: Acute toxicity, Category 2

Skin Irrit. 2: Serious eye damage/eye irritation, Category 2

Skin Sens. 1: Skin sensitilization, Category 1



according to Regulation (EC) No 1907/2006

# MIT-Hybrid Plus, Comp. B

Print date: 15.07.2019 Product code: SDB0039 Page 10 of 10

STOT SE 3: Specific target organ toxicity (single exposure), Category 3

#### Relevant H and EUH statements (number and full text)

H241 Heating may cause a fire or explosion.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)