

according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIT-Tropical, Comp. A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesive mortar for fastening elements A-component (resin)

Uses advised against

no restriction

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	Mungo Befestigungstechnik AG Bornfeldstraße 2 CH-4600 Olten	
Telephone: e-mail: Internet:	+41 62 2067575 mungo@mungo.swiss www.mungo.swiss	Telefax:+41 62 2067585
<u>1.4. Emergency telephone</u> number:	Schweiz: 145 Int.: +41 44 251 51 51 (Schweizerisches ⁻ 24 h)	Toxikologisches Informationszentrum -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

tetramethylene dimethacrylate

ethylene dimethacrylate Methacrylic acid, monoester with propane-1,2-diol

1,4-naphthoquinone

Signal word: Warning

Pictograms:

Hazard statements

H317

May cause an allergic skin reaction.

Precautionary statements

oouallonaly olalo	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container to in accordance with local/regional/national/international regulation.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 2 of 11

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regu	ulation (EC) No. 1272/2008 [C	LP]		
2082-81-7	tetramethylene dimethacrylate			10 - < 15 %	
	218-218-1		01-2119967415-30		
	Skin Sens. 1B; H317				
25013-15-4	Vinyltoluene			5 - < 10 %	
	246-562-2		01-2119622074-50		
	Flam. Liq. 3, Acute Tox. 4, Skin H315 H319 H304 H412	Irrit. 2, Eye Irrit. 2, Asp. Tox. 1	, Aquatic Chronic 3; H226 H332		
97-90-5	ethylene dimethacrylate			1 - < 5 %	
	202-617-2	607-114-00-5			
	STOT SE 3, Skin Sens. 1; H335 H317				
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			1 - < 5 %	
	248-666-3		01-2119490226-37		
	Eye Irrit. 2, Skin Sens. 1; H319 H317				
38668-48-3	1,1´-(p-Tolylimino)dipropan-2-ol			< 1 %	
	254-075-1				
	Acute Tox. 2, Eye Irrit. 2, Aquati	c Chronic 3; H300 H319 H412	2		
130-15-4	1,4-naphthoquinone			< 0.1 %	
	204-977-6				
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1C, Eye Irrit. 2, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H319 H317 H335 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off immediately all contaminated clothing and wash it before reuse.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder Water spray jet Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet Foam.

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical protective clothing.

wear a sen-contained breathing apparatus and cr

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Keep only in the original container in a cool, well-ventilated place.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 4 of 11

Advice on storage compatibility

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

storage temperature : 5 - 25°C

7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
2082-81-7	tetramethylene dimethacrylate			
Worker DNE	L, long-term	inhalation	systemic	14,5 mg/m ³
Worker DNE	L, long-term	dermal	systemic	4,2 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	4,3 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	2,5 mg/kg bw/day
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			
Worker DNE	L, long-term	inhalation	systemic	14,7 mg/m ³
Worker DNE	L, long-term	dermal	systemic	4,2 mg/kg bw/day
Consumer D	NEL, long-term	inhalation	systemic	8,8 mg/m ³
Consumer D	NEL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer D	NEL, long-term	oral	systemic	2,5 mg/kg bw/day
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol			
Worker DNE	L, long-term	inhalation	systemic	2 mg/m ³
Worker DNE	L, long-term	dermal	systemic	0,6 mg/kg bw/day



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 5 of 11

PNEC values

CAS No	Substance	
Environmen	tal compartment	Value
2082-81-7	tetramethylene dimethacrylate	
Freshwater	•	0,087 mg/l
Marine wate	r	0,0087 mg/l
Freshwater	sediment	3,12 mg/kg
Marine sedir	ment	0,312 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	20 mg/l
Soil		0,573 mg/kg
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol	
Freshwater	0,904 mg/l	
Marine wate	r	0,904 mg/l
Freshwater	sediment	6,28 mg/kg
Marine sedir	ment	6,28 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	10 mg/l
Soil		0,727 mg/kg
38668-48-3	1,1'-(p-Tolylimino)dipropan-2-ol	
Freshwater	•	0,017 mg/l
Marine wate	r	0,0017 mg/l
Freshwater	sediment	0,0782 mg/kg
Marine sedir	ment	0,00782 mg/kg
Micro-organ	isms in sewage treatment plants (STP)	199,5 mg/l
Soil		0,005 mg/kg

8.2. Exposure controls



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

Skin protection

Wear suitable protective clothing.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 6 of 11

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state: Colour:	Paste light beige	
I	oH-Value:		not determined
	Changes in the physical state		
	Melting point:		not determined
	nitial boiling point and boiling range:		not determined
	Flash point:		not applicable
l	Flammability		
	Solid:		not determined
	Gas:		not applicable
I	Lower explosion limits:		not determined
	Upper explosion limits:		not determined
4	Auto-ignition temperature		
	Solid:		not determined
	Gas:		not applicable
	Decomposition temperature:		not determined
(Oxidizing properties Not oxidizing.		
,	Vapour pressure:		not determined
l	Density:		1,72 g/cm ³
	Water solubility:		insoluble
;	Solubility in other solvents not determined		
	Partition coefficient:		not determined
,	Vapour density:		not determined
	Evaporation rate:		not determined
<u>9.2</u>	Other information		
:	Solid content:		not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 7 of 11

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
2082-81-7	tetramethylene dimeth	nacrylate				
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	>3000	Rabbit		
25013-15-4	Vinyltoluene					
	oral	LD50 5000 mg/k	2000- (g	Rat		
	dermal	LD50 5000 mg/k	2000- (g	Rabbit		
	inhalative vapour	LC50	17,8 mg/l	Rat		
	inhalative aerosol	ATE	1,5 mg/l			
27813-02-1	Methacrylic acid, mon	oester with	propane-1,	2-diol		
	oral	LD50 mg/kg	11200	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
38668-48-3	1,1'-(p-Tolylimino)dipr	ropan-2-ol				
	oral	LD50 mg/kg	27,5	Rat		
	dermal	LD50 mg/kg	>2000			
130-15-4	1,4-naphthoquinone					
	oral	LD50 mg/kg	190	Rat		
	dermal	LD50 mg/kg	202	Rat		
	inhalative vapour	ATE	0,5 mg/l			
	inhalative aerosol	LC50	46 mg/l	Rat		

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
2082-81-7	tetramethylene dimetha	crylate					
	Acute fish toxicity	LC50 mg/l	32,5	96 h			
	Algea toxicity	NOEC	2,11 mg/l	3 d			
	Crustacea toxicity	NOEC mg/l	5,09	21 d			
	Acute bacteria toxicity	(32,5 m	g/l)				
25013-15-4	Vinyltoluene						
	Acute fish toxicity	LC50	5,2 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50	2,6 mg/l	72 h			
	Acute crustacea toxicity	EC50	1,3 mg/l	48 h			
	Fish toxicity	NOEC	2,6 mg/l	4 d	Pimephales promelas (fathead minnow)		
	Algea toxicity	NOEC	1,6 mg/l	3 d			
	Crustacea toxicity	NOEC mg/l	0,81	2 d			
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol						
	Acute fish toxicity	LC50	379 mg/l	96 h			
	Acute algae toxicity	ErC50 mg/l	>97,2	72 h			
	Acute crustacea toxicity	EC50 mg/l	>143	48 h			
	Algea toxicity	NOEC mg/l	>97,2				
	Crustacea toxicity	NOEC mg/l	45,2	21 d			
130-15-4	1,4-naphthoquinone						
	Algea toxicity	NOEC mg/l	0,011				

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
2082-81-7	tetramethylene dimethacrylate			
	OECD 310	84%	28	
27813-02-1	Methacrylic acid, monoester with propane-1,2-diol			
	OECD 310	81%	28	

12.3. Bioaccumulative potential

The product has not been tested.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 9 of 11

Partition coefficient n-octanol/water

130-15-4	1,4-naphthoquinone	1,8
38668-48-3	1,1´-(p-Tolylimino)dipropan-2-ol	2,1
25013-15-4	Vinyltoluene	3,58
2082-81-7	tetramethylene dimethacrylate	3,1
CAS No	Chemical name	Log Pow

BCF

CAS No	Chemical name	BCF	Species	Source
25013-15-4	Vinyltoluene	<500		

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	MIT-Tropical, Comp. A	
Revision date: 02.11.2017	Product code: SDB0035	Page 10 of 1
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user No information available.		
14.7. Transport in bulk according to An	nex II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixtu	<u>re</u>
EU regulatory information		
2004/42/EC (VOC):	48,16 g/l	
Additional information		
To follow: 850/2004/EC , 79/117/EE	EC , 689/2008/EC	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to t work protection guideline' (94/33/EC).	he 'juvenile
Water contaminating class (D):	2 - clearly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for s	ubstances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		

Changes

This data sheet contains changes from the previous version in section(s): 16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) BCF: Bioconcentration factor CAS: Chemical Abstracts Service



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. A

Revision date: 02.11.2017

Product code: SDB0035

Page 11 of 11

CLP: Classification, Labeling and Packaging **DNEL: Derived No Effect Level** EC50: Effective Concentration, 50% EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances GHS: Globally Harmonized System of Classification and Labelling of Chemicals IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50% LD50: Lethal dose, 50% NOEC: No Observed Effect Concentration OECD: Oragnisation for Economic Co-operation and Development PBT: persistent, bioaccumulative and toxic PNEC: Predicted No-Effect Concentration vPvB: very persistent and very bioaccumulative REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Règlement concernant le transport International ferroviaire de marchandises Dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail) VOC: Volatile organic compound Relevant H and EUH statements (number and full text) Flammable liquid and vapour. H226 H300 Fatal if swallowed. Toxic if swallowed. H301 May be fatal if swallowed and enters airways. H304 H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. May cause an allergic skin reaction. H317 Causes serious eye irritation. H319 Fatal if inhaled. H330

- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MIT-Tropical, Comp. B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

compound mortar B-component (hardener)

Uses advised against

no restriction

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	Mungo Befestigungstechnik AG Bornfeldstraße 2 CH-4600 Olten	
Telephone: e-mail: Internet:	+41 62 2067575 mungo@mungo.swiss www.mungo.swiss	Telefax:+41 62 2067585
<u>1.4. Emergency telephone</u> number:	Schweiz: 145 Int.: +41 44 251 51 51 (Schweizerisches 24 h)	Toxikologisches Informationszentrum -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1 Hazard Statements: Causes serious eye irritation. May cause an allergic skin reaction.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

dibenzoyl peroxide; benzoyl peroxide

Signal word: Warning

Pictograms:



Hazard statements

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.

Precautionary statements

oouullonul y o	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to in accordance with local/regional/national/international regulation.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 2 of 9

2.3. Other hazards

This substance meets the PBT criteria of REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No Index No REACH No				
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
94-36-0	dibenzoyl peroxide; benzoyl peroxide				
	202-327-6	617-008-00-0	01-2119511472-50		
	Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H241 H319 H317 H400 H410				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Change contaminated, saturated clothing.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Extinguishing powder Water spray jet

Unsuitable extinguishing media

Full water jet Foam.

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic Carbon monoxide.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 3 of 9

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use personal protection equipment. Special danger of slipping by leaking/spilling product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area. When using do not eat, drink or smoke. Use protective skin cream before handling the product.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep/Store only in original container.

Advice on storage compatibility

Do not use for products which come into contact with the food stuffs. Store in a well-ventilated place. Keep cool.

Further information on storage conditions Keep container tightly closed in a cool place.

storage temperature 5-25°C

7.3. Specific end use(s)

see section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Revision No: 1,09,0 - Replaces version: 1,08



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
94-36-0	Dibenzoyl peroxide	-	5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
94-36-0	dibenzoyl peroxide; benzoyl peroxide				
Consumer D	NEL, long-term	oral	systemic	2 mg/kg bw/day	
Worker DNEL, long-term		dermal	systemic	13,3 mg/kg bw/day	
Worker DNEL, long-term		inhalation	systemic	39 mg/m³	

PNEC values

CAS No	Substance					
Environmental compartment Value						
94-36-0) dibenzoyl peroxide; benzoyl peroxide					
Freshwater 0,00002 mg/l						
Marine water 0,00002 mg/						
Freshwater sediment 0,013 mg/kg						
Marine sedim	0,001 mg/kg					

8.2. Exposure controls



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection:Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): 0,4mm NBR (Nitrile rubber) >480min (EN374) Wearing time with permanent contact 0,5mm NBR (Nitrile rubber) >480min (EN374)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state: Paste Colour: black Odour: characteristic pH-Value: not applicable Changes in the physical state Melting point: not determined Initial boiling point and boiling range: not determined not applicable Flash point: Flammability Solid: not determined Gas: not applicable Lower explosion limits: not determined not determined Upper explosion limits: Auto-ignition temperature Solid: not determined Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidizing. Available oxygen content (%) < 1% no classification Vapour pressure: not determined Density (at 20 °C): 1,59 g/cm³ Water solubility: insoluble Solubility in other solvents not determined Partition coefficient: not determined Vapour density: not determined not determined Evaporation rate: 9.2. Other information Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

see section 10.3

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

10.4. Conditions to avoid

see section 7.2



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 6 of 9

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
94-36-0	dibenzoyl peroxide; benzoyl peroxide					
		LD50 >5000 mg/kg	Rat			

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus.) IC10: (0 - 72 h) = 30 mg/l IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna) EC0/NOEC (48h) = 100 mg/l EC50 (48h) = >500 mg/l EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio) LC0/NOEC : 250 mg/l LC50 :> 500 mg/l LC100 :>> 500 mg/l

CAS No Chemical name Aquatic toxicity [h] | [d] Species Source Method Dose 94-36-0 dibenzoyl peroxide; benzoyl peroxide LC50 96 h Oncorhynchus mykiss OECD 203 Acute fish toxicity 0.0602 Rainbow trout) mg/l ErC50 72 h Pseudokirchneriella **OECD 201** Acute algae toxicity 0,0711 mg/l subcapitata Acute crustacea toxicity EC50 48 h Daphnia magna (Big 0,11 mg/l **OECD 202** . water flea) Algea toxicity NOEC 0.02 3 d Pseudokirchneriella **OECD 201** subcapitata mg/l NOEC 21 d Daphnia magna (Big OECD 211 Crustacea toxicity 0.001 water flea) mg/l Acute bacteria toxicity (35 mg/l) 0,5 h **OECD 209**

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 7 of 9

CAS No	Chemical name					
	Method	Value		d	Source	
	Evaluation				•	
94-36-0	dibenzoyl peroxide; benzoyl peroxide					
	OECD 301D	71%	:	28		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
94-36-0	dibenzoyl peroxide; benzoyl peroxide	3,2

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

	cording to Regulation (EC) No 1907/2006	
	MIT-Tropical, Comp. B	
Revision date: 06.12.2017	Product code: SDB0020	Page 8 of 9
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
No information available.		
14.7. Transport in bulk according to Ar	nex II of Marpol and the IBC Code	
not applicable		
SECTION 15: Regulatory information	on	
15.1. Safety, health and environmental	regulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	68,37 g/l	
Additional information		
To follow: 850/2004/EC , 79/117/EE	EC . 689/2008/EC	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the	e 'iuvenile
	work protection guideline' (94/33/EC). Observe employment res	
	under the Maternity Protection Directive (92/85/EEC) for expect	
	nursing mothers.	
Water contaminating class (D):	2 - clearly water contaminating	
15.2. Chemical safety assessment		
Chemical safety assessments for s	ubstances in this mixture were not carried out.	

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 3,15,16.



according to Regulation (EC) No 1907/2006

MIT-Tropical, Comp. B

Revision date: 06.12.2017

Product code: SDB0020

Page 9 of 9

Abbreviations and acronyms

ADN: Accord européen relativ au transport international des marchandises Dangereuses par voie de Navigation (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) CAS: Chemical Abstracts Service CLP: Classification, Labeling and Packaging DMEL: Derived Minimal Effect level DNEL: Derived No Effect Level EC50: Effective concentration. 50% IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA) ICAO: International Civil Aviation Organization IC50: Inhibitory concentration, 50% IMDG: International Maritime Code for Dangerous Goods LC50: Lethal concentration, 50% LD50: Lethal dose, 50% NOEC: No Observed Effect Concentration OECD: Oragnisation for Economic Co-operation and Development PBT: persistent, bioaccumulative and toxic vPvB: very persistent and very bioaccumulative PNEC: Predicted No Effect Concentration REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail) VOC: Volatile organic compound Aquatic Chronic 3: Long-term aquatic hazard, Category 3 Acute Tox. 2: Acute toxicity, Category 2 Skin Irrit. 2: Serious eye damage/eye irritation, Category 2 Skin Sens. 1: Skin sensitilization, Category 1 STOT SE 3: Specific target organ toxicity (single exposure), Category 3

Relevant H and EUH statements (number and full text)

- H241 Heating may cause a fire or explosion.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)