

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830 and upon the Swiss Chemicals Regulation SR 813.11

310mL Mungo MSI-NP transparent

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : 310mL Mungo MSI-NP transparent

Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Sealing compound

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Mungo Befestigungstechnik AG Bornfeldstrasse 2

CH-4600

Olten

2 +41 62 206 75 75

♣ +41 62 206 75 85 mungo@mungo.swiss

www.mungo.swiss

Distributor of the product

Mungo Befestigungstechnik AG

Bornfeldstrasse 2 CH-4600

Olten

2 +41 62 206 75 75

4 +41 62 206 75 85

mungo@mungo.swiss

www.mungo.swiss

1.4. Emergency telephone number

Emergency telephone number (Switzerland) - Swiss Toxicological Information Centre (Zürich):

145 (24h/24h)

Emergency telephone number (International):

+41 44 251 51 51 (24h/24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 $\,$

Supplemental information

EUH208 Contains: 2-butanone oxime. May produce an allergic reaction.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Regi		CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
--------------------	--	-----------------	-----------	---------------------------------	------	--------

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 1.4

Revision number: 0103 Product number: 55272

Publication date: 2014-10-01 Date of revision: 2019-07-09 134-18438-669-en

1/12

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics 01-2119827000-58		C>20 %	Asp. Tox. 1; H304	(1)(10)	UVCB
2-butanone oxime	96-29-7 202-496-6		Carc. 2; H351 Skin Sens. 1; H317 Acute Tox. 4; H312 Eye Dam. 1; H318	(1)(2)(10)	Reaction product

- (1) For H-statements in full: see heading 16
- (2) Substance with a Community workplace exposure limit
- (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

If you feel unwell, seek medical advice.

After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

After skin contact:

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation persists.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 2/12

Contain released product. Use appropriate containment to avoid environmental contamination.

6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Store in a dry area. Store at room temperature. Meet the legal requirements. Max. storage time: 1 year(s).

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

Synthetic material.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Spain

Aceite mineral refinado, nieblas	Time-weighted average exposure limit 8 h	5 mg/m³
	Short time value	10 mg/m ³

Switzerland

Huiles minérales (pures, hautement raffinées)	Time-weighted average exposure limit 8 h	5 mg/m³

Poland

Oleje mineralne wysokorafinowane z wyłączenium cieczy	Time-weighted average exposure limit 8 h	5 mg/m³
obrówych - frakcja wdychalna		

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Oil Mist (Mineral)	NIOSH	5026

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

2-butanone oxime

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	9 mg/m³	
	Long-term local effects inhalation	3.33 mg/m³	
	Long-term systemic effects dermal	1.3 mg/kg bw/day	
	Acute systemic effects dermal	2.5 mg/kg bw/day	

DNEL/DMEL - General population

2-butanone oxime

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	2.7 mg/m ³	
	Long-term local effects inhalation	2 mg/m ³	
	Long-term systemic effects dermal	0.78 mg/kg bw/day	
	Acute systemic effects dermal	1.5 mg/kg bw/day	

PNEC

Reason for revision: 1.4 Publication date: 2014-10-01
Date of revision: 2019-07-09

 Revision number: 0103
 Product number: 55272
 3 / 12

2-butanone oxime

Compartments	Value	Remark
Fresh water	0.256 mg/l	
Aqua (intermittent releases)	0.118 mg/l	
STP	177 mg/l	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Gloves

c) Eye protection:

Safety glasses.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Odour	Characteristic odour
Odour threshold	No data available
Colour	Variable in colour, depending on the composition
Particle size	No data available
Explosion limits	No data available
Flammability	Non-flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	No data available
Solubility	Water ; insoluble
Relative density	0.97
Decomposition temperature	No data available
Auto-ignition temperature	No data available
Flash point	> 120 °C
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
рН	No data available

9.2. Other information

Surface tension	No data available
Extrapolated kinematic viscosity	> 30 seconds ; 4 mm
Absolute density	970 kg/m³

SECTION 10: Stability and reactivity

10.1. Reactivity

Temperature above flashpoint: higher fire/explosion hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

Reason for revision: 1.4 Publication date: 2014-10-01
Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 4 / 12

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 3160 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (aerosol)	LC50	Equivalent to OECD	> 5266 mg/m³ air	1	Rat (male /	Experimental value	

2-butanone oxime

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	2326 mg/kg bw		Rat (male)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 1000 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (vapours)	LC50	Equivalent to OECD 403	> 4.83 mg/l air	4 h	Rat (male / female)	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

310mL Mungo MSI-NP transparent

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
	Not irritating	OECD 437			Experimental value	
	Not irritating				Experimental value	

Judgement is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Not irritating	OECD 405	24 h	24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	

2-butanone oxime

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Serious eye damage	Equivalent to OECD 405		24; 72 hours		Experimental value	Single treatment
Skin	Slightly irritating	Other	24 h	1; 24; 48; 72 hours	Rabbit	Experimental value	

Conclusion

Not classified as irritating to the skin Not classified as irritating to the eyes

Respiratory or skin sensitisation

310mL Mungo MSI-NP transparent

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 5/12

<u>hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics</u>

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406	24; 48 hours	Guinea pig (female)	Read-across	

2-butanone oxime

Route of exposure	Result	Method	Exposure time	Observation time	Species	Value determination	Remark
				point			
Skin	Sensitizing	Equivalent to OECD	24 h	24; 48 hours	Guinea pig	Experimental value	
		406			(female)		

Conclusion

Not classified as sensitizing for inhalation Not classified as sensitizing for skin

Specific target organ toxicity

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure | Parameter | Method Value Organ Effect Exposure time Species Value determination Oral NOAEL Equivalent to > 5000 mg/kg No effect 13 weeks (daily) Rat (male / Read-across **OECD 408** bw/day female) Dermal NOAEL Equivalent to > 495 mg/kg/d No effect 13 weeks (daily, 5 Rat (male / Read-across OECD 411 days / week) female) Equivalent to Inhalation NOAEC 10186 mg/m³ No effect 13 weeks (6h / day, 5 Rat (male / Read-across days / week) (vapours) OECD 413 female)

2-butanone oxime

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral	LOAEL	US EPA	40 mg/kg bw/day	General	Clinical signs; mortality; body weight; food consumption	13 weeks (5 days / week)	Rat (male / female)	Experimental value
Oral	NOAEL	US EPA	< 40 mg/kg bw/day	Blood	Change in the haemogramm e/blood composition	13 weeks (5 days / week)	Rat (male / female)	Experimental value
Oral	NOEL	US EPA	125 mg/kg bw/day	Central nervous system	Behavioural disturbances	13 weeks (5 days / week)	Rat (male / female)	Experimental value
Oral	NOAEL	US EPA	312 ppm	Blood	Change in the haemogramm e/blood composition	13 week(s)	Rat (female)	Experimental value
Oral	NOAEL	US EPA	625 ppm	Blood	Change in the haemogramm e/blood composition	13 week(s)	Rat (male)	Experimental value
Inhalation (vapours)	NOAEC	Equivalent to OECD 412	90 mg/m³ air	Blood		4 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 6 / 12

<u>hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics</u>

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Read-across	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 473	Chinese hamster ovary (CHO)		Read-across	

2-butanone oxime

Result	Method	Test substrate	Effect	Value determination	Remark
Ambiguous	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	
Negative	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative	Equivalent to OECD 482	Rat liver cells		Experimental value	

Mutagenicity (in vivo)

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD 483	8 weeks (6h / day, 5 days / week)	` ′	Male reproductive organ	Read-across
Negative	Equivalent to OECD 475		Rat (male / female)	Bone marrow	Read-across
Negative	Equivalent to OECD 474	24 h - 72 h	Mouse (male / female)	Bone marrow	Read-across

2-butanone oxime

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Other	3 day(s)	Drosophila melanogaster	Male reproductive	Experimental value
			(male)	organ	
Negative	Other		Rat (male / female)		Experimental value

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement is based on the relevant ingredients

2-butanone oxime

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value
exposure								determination
Inhalation (vapours)	NOAEC	EPA OTS 798.3300	0.27 mg/l	≥ 1 year(s) (6h / day, 5 days / week)	Rat	No carcinogenic effect		Experimental value
Inhalation (vapours)	Dose level	EPA OTS 798.3300	374 ppm	≥ 1 year(s) (6h / day, 5 days / week)	Rat	Carcinogenicity		Experimental value

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

310mL Mungo MSI-NP transparent

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 1.4 Publication date: 2014-10-01
Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 7 / 12

<u>hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics</u>

	Parameter	Method	Value	Exposure time	Species	Effect	- 0-	Value determination
Developmental toxicity	NOAEL	OECD 414	> 1000 mg/kg bw/day	10 day(s)	Rat (female)	No effect		Experimental value
Maternal toxicity	NOAEL	OECD 414	> 1000 mg/kg bw/day	10 day(s)	Rat (female)	No effect		Experimental value
Effects on fertility	NOAEL (P)	Equivalent to OECD 422	> 1000 mg/kg bw/day		Rat (male / female)	No effect		Read-across
	NOAEL (P)	Equivalent to OECD 421	> 1000 mg/kg bw/day		Rat (male / female)	No effect		Read-across

2-butanone oxime

	Parameter	Method	Value	Exposure time	Species	Effect	- 0 -	Value determination
Developmental toxicity	NOAEL (F1)	OECD 414	600 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
	LOAEL (P)	OECD 414	60 mg/kg bw/day	10 day(s)	Rat	Spleen enlargement/af fection	Spleen	Experimental value
Effects on fertility	NOAEL	US EPA	≥ 200 mg/kg/d		Rat (male / female)			Experimental value

<u>Conclusion</u>

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Chronic effects from short and long-term exposure

310mL Mungo MSI-NP transparent

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

SECTION 12: Ecological information

12.1. Toxicity

310mL Mungo MSI-NP transparent

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

yurocarbons, C13-C20, II-aikar	ica, iacuikanea, c	ychcs, \0.0370 a	· · · · · · · · · · · · · · · · · · ·		_			
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	Equivalent to OECD 203	> 1028 mg/l	96 h	Scophthalmus maximus	Semi-static system	Salt water	Experimental value; GLP
Acute toxicity crustacea	LL50	ISO 14669	> 3193 mg/l	48 h	Acartia tonsa	Static system	Salt water	Experimental value; GLP
Toxicity algae and other aquatic plants	EC50	ISO 10253	> 10000 mg/l	72 h	Skeletonema costatum	Static system	Salt water	Experimental value; GLP
Long-term toxicity fish	NOELR		> 1000 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Growth rate
Long-term toxicity aquatic crustacea	NOELR		> 1000 mg/l	21 day(s)	Daphnia magna		Fresh water	QSAR
Toxicity aquatic micro- organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value; GLP

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 8 / 12

2-butanone oxime

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 100 mg/l	96 h	Oryzias latipes	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	201 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	EC50	OECD 201	11.8 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	2.56 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish	NOEC	OECD 204	≥ 100 mg/l	14 day(s)	Oryzias latipes	Flow- through system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC	OECD 211	≥ 100 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Biodegradation water

Method	Value	Duration	Value determination
OECD 306: Biodegradability in Seawater	74 %; GLP	28 day(s)	Experimental value

Conclusion

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

310mL Mungo MSI-NP transparent

Log Kow

· · · · · · · · · · · · · · · · · · ·							
Method	Remark	Value	Temperature	Value determination			
	Not applicable (mixture)						

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

2-butanone oxime

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	OECD 305	0.5 - 5.8; GLP	42 day(s)	Cyprinus carpio	Experimental value

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		0.63		Experimental value

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	0.3 %		92.8 %	6.8 %	0.1 %	Calculated value

2-butanone oxime

(log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	0.55	QSAR

Conclusion

Contains component(s) that adsorb(s) into the soil Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

12.6. Other adverse effects

310mL Mungo MSI-NP transparent

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 9 / 12

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

2-butanone oxime

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

Switzerland

Sonderabfälle.

Abfallcode entsprechend 814.610.1, Verordnung des UVEK über Listen zum Verkehr mit Abfällen.

Abfälle aus Herstellung, Zubereitung, Vertrieb und Anwendung von Beschichtungen (Farben, Lacke, Email), Klebstoffen, Dichtmassen und Druckfarben: Abfälle aus Herstellung, Zubereitung, Vertrieb und Anwendung von Klebstoffen und Dichtmassen (einschliesslich wasserabweisender Materialien): Klebstoff- und Dichtmassenabfälle, die organische Lösungsmittel oder andere gefährliche Stoffe enthalten (08 04 09 S).

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

Switzerland

Abfallcode entsprechend 814.610.1, Verordnung des UVEK über Listen zum Verkehr mit Abfällen.

15 01 10 Verpackungsabfall, Aufsaugmassen, Wischtücher, Filtermaterialien und Schutzkleidung (anderswo nicht genannt): Verpackungen (einschliesslich getrennt gesammelter kommunaler Verpackungsabfälle): Verpackungen, die Rückstände von Stoffen oder von Sonderabfällen mit besonders gefährlichen Eigenschaften enthalten oder durch Stoffe oder Sonderabfälle mit besonders gefährlichen Eigenschaften verunreinigt sind (15 01 10 S).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

1. UN number	
Transport	Not subject
2. UN proper shipping name	
3. Transport hazard class(es)	
Hazard identification number	
Class	
Classification code	
4. Packing group	
Packing group	
Labels	
5. Environmental hazards	
Environmentally hazardous substance mark	no
6. Special precautions for user	
Special provisions	
Limited quantities	
7. Transport in bulk according to Annex II of Marpol and the IBC Code	
Annex II of MARPOL 73/78	Not applicable, based on available data
	2. UN proper shipping name 3. Transport hazard class(es) Hazard identification number Class Classification code 4. Packing group Packing group Labels 5. Environmental hazards Environmentally hazardous substance mark 6. Special precautions for user Special provisions Limited quantities 7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
< 1 %	
< 9.7 g/l	

Reason for revision: 1.4 Publication date: 2014-10-01
Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 10 / 12

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of	Conditions of restriction
	substances or of the mixture	
· hydrocarbons, C15-C20, n-alkanes,	Liquid substances or mixtures fulfilling the	1. Shall not be used in:
isoalkanes, cyclics, <0.03% aromatics	criteria for any of the following hazard classes	— ornamental articles intended to produce light or colour effects by means of different
· 2-butanone oxime	or categories set out in Annex I to Regulation	phases, for example in ornamental lamps and ashtrays,
	(EC) No 1272/2008:	— tricks and jokes,
	(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8	— games for one or more participants, or any article intended to be used as such, even with
	types A and B, 2.9, 2.10, 2.12, 2.13 categories	ornamental aspects,
	1 and 2, 2.14 categories 1 and 2, 2.15 types A	2. Articles not complying with paragraph 1 shall not be placed on the market.
	to F;	3. Shall not be placed on the market if they contain a colouring agent, unless required for
	(b) hazard classes 3.1 to 3.6, 3.7 adverse	fiscal reasons, or perfume, or both, if they:
	effects on sexual function and fertility or on	— can be used as fuel in decorative oil lamps for supply to the general public, and,
	development, 3.8 effects other than narcotic	— present an aspiration hazard and are labelled with H304,
	effects, 3.9 and 3.10;	4. Decorative oil lamps for supply to the general public shall not be placed on the market
	(c) hazard class 4.1;	unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted
	(d) hazard class 5.1.	by the European Committee for Standardisation (CEN).
		5. Without prejudice to the implementation of other Community provisions relating to the
		classification, packaging and labelling of dangerous substances and mixtures, suppliers shall
		ensure, before the placing on the market, that the following requirements are met:
		a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly
		and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of
		children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of
		lamps — may lead to life- threatening lung damage";
		b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly
		and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to
		life threatening lung damage";
		c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public
		are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
		6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency
		to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to
		ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled H304, intended
		for supply to the general public.
		7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter
		fluids, labelled with H304, shall by 1 December 2011, and annually thereafter, provide data
		on alternatives to lamp oils and grill lighter fluids labelled H304 to the competent authority
		in the Member State concerned. Member States shall make those data available to the
		Commission.'
1	1	1

National legislation France

310mL Mungo MSI-NP transparent

No data available

National legislation United Kingdom 310mL Mungo MSI-NP transparent

No data available

National legislation Spain

310mL Mungo MSI-NP transparent

No data available

National legislation Switzerland 310mL Mungo MSI-NP transparent

Tome Wango Wor W. Cransparent		
Ordonnance sur la protection de la maternité (RS_822.111.52)		
Ordonnance du DEFR sur les travaux dangereux pour les jeunes (RS 822.115.2)		
` _ '		
Ordonnance sur la protection des jeunes travailleurs, OLT5 (RS_822.115)		
Ordonnance sur la protection de l'air, OPair		
Ordonnance sur la réduction des risques liés aux produits chimiques, ORRChim (RS_814.81)		
Ordonnance PIC, OPICChim (RS_814.82)		

No data available

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Huiles minérales (pures, hautement raffinées); C2; Substances potentiellement cancérogènes chez l'homme. Krebserzeugende

National legislation Poland 310mL Mungo MSI-NP transparent

No data available

Other relevant data

310mL Mungo MSI-NP transparent

No data available

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

TLV - Carcinogen Mineral oil, pure, highly and severely refined; A4

Reason for revision: 1.4 Publication date: 2014-10-01 Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 11 / 12

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H-statements referred to under heading 3:

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

(*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake
AOEL Acceptable operator ex

AOEL Acceptable operator exposure level
CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 1.4 Publication date: 2014-10-01

Date of revision: 2019-07-09

Revision number: 0103 Product number: 55272 12 / 12