

## SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830 and upon the Swiss Chemicals Regulation SR 813.11

## **310mL Mungo MSI-NP weiss**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name **Registration number REACH** Product type REACH

- : 310mL Mungo MSI-NP weiss
- : Not applicable (mixture)

## : Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1 Relevant identified uses

Sealing compound

### 1.2.2 Uses advised against

No uses advised against known

### 1.3. Details of the supplier of the safety data sheet

#### Supplier of the safety data sheet

Mungo Befestigungstechnik AG Bornfeldstrasse 2 CH-4600 Olten +41 62 206 75 75 **→** +41 62 206 75 85 mungo@mungo.swiss www.mungo.swiss

#### Distributor of the product

Mungo Befestigungstechnik AG Bornfeldstrasse 2 CH-4600 Olten +41 62 206 75 75 **▲** +41 62 206 75 85 mungo@mungo.swiss www.mungo.swiss

## 1.4. Emergency telephone number

Emergency telephone number (Switzerland) - Swiss Toxicological Information Centre (Zürich): 145 (24h/24h) Emergency telephone number (International): +41 44 251 51 51 (24h/24h)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

### 2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Supplemental information

Contains: 2-butanone oxime. May produce an allergic reaction.

#### 2.3. Other hazards

No other hazards known

EUH208

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixtures

- 1		CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
Tec http	ated by: Brandweerinformatiecentrum voor gevaarlijke : hnische Schoolstraat 43 A, B-2440 Geel b://www.big.be 8IG vzw	stoffen vzw (BIG)		Publication date: 201 Date of revision: 201		18438-669-en
Rea	son for revision: 1.4					134-
Rev	ision number: 0103			Product number: 552	272	1/12

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics 01-2119827000-58		C>20 %	Asp. Tox. 1; H304	(1)(10)	UVCB
2-butanone oxime	96-29-7	0.1% <c<1%< td=""><td>Carc. 2; H351</td><td>(1)(2)(10)</td><td>Reaction product</td></c<1%<>	Carc. 2; H351	(1)(2)(10)	Reaction product
	202-496-6		Skin Sens. 1; H317		
			Acute Tox. 4; H312		
			Eye Dam. 1; H318		

(1) For H-statements in full: see neading 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

If you feel unwell, seek medical advice.

## After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

#### After skin contact:

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation persists.

#### After eye contact:

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

#### After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms After inhalation: No effects known. After skin contact: No effects known. After eye contact: No effects known. After ingestion: No effects known.

4.2.2 Delayed symptoms No effects known.

## 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.

#### 5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

- No specific fire-fighting instructions required.
- 5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### No naked flames.

- 6.1.1 Protective equipment for non-emergency personnel
- See heading 8.2

## 6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing See heading 8.2

#### 6.2. Environmental precautions

Reason for revision: 1.4

Publication date: 2014-10-01 Date of revision: 2019-07-09

Contain released product. Use appropriate containment to avoid environmental contamination.

## 6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution. Wash clothing and equipment after handling.

## 6.4. Reference to other sections

See heading 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Store in a dry area. Store at room temperature. Meet the legal requirements. Max. storage time: 1 year(s).

7.2.2 Keep away from:

#### Heat sources.

7.2.3 Suitable packaging material:

#### Synthetic material.

7.2.4 Non suitable packaging material: No data available

## 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

## Spain

Aceite mineral refinado, nieblas		Time-weighted average	e exposure limit 8 h	5 mg/m³
		Short time value		10 mg/m <sup>3</sup>
Switzerland				
Huiles minérales (pures, hauteme	ent raffinées)	Time-weighted average	e exposure limit 8 h	5 mg/m³
Poland				
Oleje mineralne wysokorafinowa	ne z wyłaczenium cieczy	Time-weighted average	e exposure limit 8 h	5 mg/m <sup>3</sup>
obrówych - frakcja wdychalna			,	
b) National biological limit value	s			
If limit values are applicable and	 available these will be listed	below.		
.2 Sampling methods				
Product name		Test	Number	
Oil Mist (Mineral)		NIOSH	5026	
4 Thusehold velues				
1.4 Threshold values DNEL/DMEL - Workers				
DNEL/DMEL - Workers 2-butanone oxime				
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL)	Туре		Value	Remark
DNEL/DMEL - Workers 2-butanone oxime	Long-term systemic eff		9 mg/m³	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL)	Long-term systemic eff Long-term local effects	inhalation	9 mg/m³ 3.33 mg/m³	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL)	Long-term systemic eff Long-term local effects Long-term systemic eff	s inhalation fects dermal	9 mg/m³ 3.33 mg/m³ 1.3 mg/kg bw/day	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL) DNEL	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects	s inhalation fects dermal	9 mg/m³ 3.33 mg/m³	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL)	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects	s inhalation fects dermal	9 mg/m³ 3.33 mg/m³ 1.3 mg/kg bw/day	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General population	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects	s inhalation fects dermal	9 mg/m³ 3.33 mg/m³ 1.3 mg/kg bw/day	Remark
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population 2-butanone oxime	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects <b>n</b>	s inhalation fects dermal dermal	9 mg/m <sup>3</sup> 3.33 mg/m <sup>3</sup> 1.3 mg/kg bw/day 2.5 mg/kg bw/day	
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General population 2-butanone oxime Effect level (DNEL/DMEL)	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects <b>n</b> Type	s inhalation fects dermal dermal fects inhalation	9 mg/m <sup>3</sup> 3.33 mg/m <sup>3</sup> 1.3 mg/kg bw/day 2.5 mg/kg bw/day Value	
DNEL/DMEL - Workers 2-butanone oxime Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General population 2-butanone oxime Effect level (DNEL/DMEL)	Long-term systemic eff Long-term local effects Long-term systemic eff Acute systemic effects <b>n</b> Type Long-term systemic eff	s inhalation fects dermal dermal fects inhalation s inhalation	9 mg/m <sup>3</sup> 3.33 mg/m <sup>3</sup> 1.3 mg/kg bw/day 2.5 mg/kg bw/day Value 2.7 mg/m <sup>3</sup>	

Reason

Product number: 55272

<u>2-butanone oxime</u>		
Compartments	Value	Remark
Fresh water	0.256 mg/l	
Aqua (intermittent releases)	0.118 mg/l	
STP	177 mg/l	

#### 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

- 8.2.2 Individual protection measures, such as personal protective equipment Observe strict hygiene. Do not eat, drink or smoke during work.
- a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Gloves.

c) Eye protection:

Safety glasses.

d) Skin protection:

Protective clothing.

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical form	Paste	
Odour	Characteristic odour	
Odour threshold	No data available	
Colour	Variable in colour, depending on the composition	
Particle size	No data available	
Explosion limits	No data available	
Flammability	Non-flammable	
Log Kow	Not applicable (mixture)	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	
Melting point	No data available	
Boiling point	No data available	
Evaporation rate	No data available	
Relative vapour density	No data available	
Vapour pressure	No data available	
Solubility	Water ; insoluble	
Relative density	0.97	
Decomposition temperature	No data available	
Auto-ignition temperature	No data available	
Flash point	> 120 °C	
Explosive properties	No chemical group associated with explosive properties	
Oxidising properties	No chemical group associated with oxidising properties	
рН	No data available	

## 9.2. Other information

Surface tension	No data available
Extrapolated kinematic viscosity	> 30 seconds ; 4 mm
Absolute density	970 kg/m³

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Temperature above flashpoint: higher fire/explosion hazard.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

## Precautionary measures

Keep away from naked flames/heat.

Reason for revision: 1.4

Publication date: 2014-10-01 Date of revision: 2019-07-09

## 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

## 11.1.1 Test results

## Acute toxicity

### 310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 3160 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 5266 mg/m³ air	4 h	Rat (male / female)	Experimental value	

#### 2-butanone oxime

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD 401	2326 mg/kg bw		Rat (male)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 1000 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (vapours)	LC50	Equivalent to OECD 403	> 4.83 mg/l air	4 h	Rat (male / female)	Experimental value	

#### **Conclusion**

Not classified for acute toxicity

## **Corrosion/irritation**

## 310mL Mungo MSI-NP weiss

	Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
ĺ		Not irritating	OECD 437			Experimental value	
		Not irritating				Experimental value	

Judgement is based on the relevant ingredients hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Route of exposure	Result	Method	Exposure time	Time point			Remark
						determination	
Eye	Not irritating	OECD 405	24 h	24; 48; 72 hours	Rabbit	Experimental	
						value	
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental	
						value	

## 2-butanone oxime

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Serious eye damage	Equivalent to OECD 405		24; 72 hours	Rabbit	Experimental value	Single treatment
Skin	Slightly irritating	Other	24 h	1; 24; 48; 72 hours	Rabbit	Experimental value	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

## Respiratory or skin sensitisation

## 310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 1.4

Route of exposure	Result	Method	Ехро	sure time	Observation time point	Species N	/alue determination	Remark
	Not sensitizing	g Equivalent 406	to OECD		24; 48 hours	Guinea pig (female)	Read-across	
-butanone oxime								
Route of exposure	Result	Method	Ехро	sure time	Observation time point	Species \	Value determination	Remark
Skin	Sensitizing	Equivalent 406	to OECD 24 h		24; 48 hours	Guinea pig I (female)	Experimental value	
nclusion								
ot classified as sensi	•	ation						
ot classified as sensi	tizing for skin							
c target organ toxici	ty							
<u>L Mungo MSI-NP we</u> (test)data on the mi								
idgement is based or								
vdrocarbons, C15-C2	0, n-alkanes, is	soalkanes, cyclic	s, <0.03% arom	atics				
Route of exposure	e Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determina
Oral	NOAEL	Equivalent to OECD 408	> 5000 mg/kg bw/day		No effect	13 weeks (daily)	Rat (male / female)	Read-acros
Dermal	NOAEL	Equivalent to OECD 411	> 495 mg/kg/	ł		13 weeks (daily, 5 days / week)	Rat (male / female)	Read-acro
Inhalation	NOAEC	Equivalent to	10186 mg/m <sup>3</sup>		No effect	13 weeks (6h / day	, 5 Rat (male /	Read-acros
(vapours)		OECD 413	air			days / week)	female)	
-butanone oxime	_							
Route of exposure	e Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determina
Oral	LOAEL	US EPA	40 mg/kg bw/day	General	<i>v</i> ,	13 weeks (5 days / week)	Rat (male / female)	Experimen value
Qual	NOAEL	US EPA	< 40 mg/kg	Blood	Change in the	13 weeks (5 days /	Rat (male /	Experimen
Oral	NOALL				change in the			
Orai	NOALL		bw/day		haemogramm	week)	female)	value
Orai	NOALL		0.0		haemogramm e/blood	week)	female)	value
			bw/day		haemogramm e/blood composition	- -	,	
Oral	NOEL	US EPA	bw/day 125 mg/kg	Central	haemogramm e/blood composition Behavioural	week) 13 weeks (5 days / week)	Rat (male /	
		US EPA	bw/day	Central	haemogramm e/blood composition Behavioural	13 weeks (5 days /	,	Experimen
		US EPA US EPA	bw/day 125 mg/kg	Central nervous	haemogramm e/blood composition Behavioural	13 weeks (5 days / week)	Rat (male /	Experimen value
Oral	NOEL		bw/day 125 mg/kg bw/day	Central nervous system	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm	13 weeks (5 days / week)	Rat (male / female)	Experimen value
Oral	NOEL		bw/day 125 mg/kg bw/day	Central nervous system	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood	13 weeks (5 days / week)	Rat (male / female)	Experimen value Experimen
Oral Oral	NOEL	US EPA	bw/day 125 mg/kg bw/day 312 ppm	Central nervous system Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition	13 weeks (5 days / week) 13 week(s)	Rat (male / female) Rat (female)	Experimen value Experimen value
Oral	NOEL		bw/day 125 mg/kg bw/day	Central nervous system	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the	13 weeks (5 days / week)	Rat (male / female)	Experimen value Experimen value Experimen
Oral Oral	NOEL	US EPA	bw/day 125 mg/kg bw/day 312 ppm	Central nervous system Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the haemogramm	13 weeks (5 days / week) 13 week(s)	Rat (male / female) Rat (female)	Experimen value Experimen value
Oral Oral	NOEL	US EPA	bw/day 125 mg/kg bw/day 312 ppm	Central nervous system Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the	13 weeks (5 days / week) 13 week(s)	Rat (male / female) Rat (female)	Experimen value Experimen value Experimen
Oral Oral	NOEL	US EPA	bw/day 125 mg/kg bw/day 312 ppm 625 ppm	Central nervous system Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the haemogramm e/blood composition	13 weeks (5 days / week) 13 week(s) 13 week(s)	Rat (male / female) Rat (female) Rat (male)	Experimen value Experimen value Experimen value
Oral Oral Oral	NOEL NOAEL NOAEL	US EPA US EPA	bw/day 125 mg/kg bw/day 312 ppm	Central nervous system Blood Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the haemogramm e/blood composition Change in the	13 weeks (5 days / week) 13 week(s)	Rat (male / female) Rat (female) Rat (male)	Experimen value Experimen value Experimen value
Oral Oral Oral Inhalation	NOEL NOAEL NOAEL	US EPA US EPA Equivalent to	bw/day 125 mg/kg bw/day 312 ppm 625 ppm	Central nervous system Blood Blood	haemogramm e/blood composition Behavioural disturbances Change in the haemogramm e/blood composition Change in the haemogramm e/blood composition Change in the	13 weeks (5 days / week) 13 week(s) 13 week(s) 4 weeks (6h / day,	Rat (male / female) Rat (female) Rat (male) Rat (male)	Experimen value Experimen value Experimen value Experimen

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

310mL Mungo MSI-NP weiss

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 1.4

lesult	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Read-across	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 473	Chinese hamster ovary (CHO)		Read-across	
itanone oxime		•		•	
Result	Method	Test substrate	Effect	Value determination	Remark
Ambiguous	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	
Negative	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	

Rat liver cells

## Mutagenicity (in vivo)

Negative

### 310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

Equivalent to OECD 482

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Equivalent to OECD 483	8 weeks (6h / day, 5 days / week)	Mouse (male)	Male reproductive organ	Read-across
Negative	Equivalent to OECD 475		Rat (male / female)	Bone marrow	Read-across
Negative	Equivalent to OECD 474	24 h - 72 h	Mouse (male / female)	Bone marrow	Read-across
outanone oxime	•		•		
Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	Other	3 day(s)	Drosophila melanogaster (male)	Male reproductive organ	Experimental value
Negative	Other		Rat (male / female)		Experimental value

Conclusion

Not classified for mutagenic or genotoxic toxicity

### Carcinogenicity

#### 310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Judgement is based on the relevant ingredients

### 2-butanone oxime

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	- 0.	Value determination
Inhalation (vapours)	NOAEC	EPA OTS 798.3300	0.27 mg/l	≥ 1 year(s) (6h / day, 5 days / week)	Rat	No carcinogenic effect		Experimental value
Inhalation (vapours)	Dose level	EPA OTS 798.3300	374 ppm	≥ 1 year(s) (6h / day, 5 days / week)	Rat	Carcinogenicity	Liver	Experimental value

<u>Conclusion</u> Not classified for carcinogenicity

## Reproductive toxicity

310mL Mungo MSI-NP weiss

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 1.4

Experimental value

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatior
Developmental toxicity	NOAEL	OECD 414	> 1000 mg/kg bw/day	10 day(s)	Rat (female)	No effect		Experimental value
Maternal toxicity	NOAEL	OECD 414	> 1000 mg/kg bw/day	10 day(s)	Rat (female)	No effect		Experimental value
Effects on fertility	NOAEL (P)	Equivalent to OECD 422	> 1000 mg/kg bw/day		Rat (male / female)	No effect		Read-across
	NOAEL (P)	Equivalent to OECD 421	> 1000 mg/kg bw/day		Rat (male / female)	No effect		Read-across
utanone oxime								
	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatio
Developmental toxicity	NOAEL (F1)	OECD 414	600 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
	LOAEL (P)	OECD 414	60 mg/kg bw/day	10 day(s)	Rat	Spleen enlargement/af fection	Spleen	Experimental value
Effects on fertility	NOAEL	US EPA	≥ 200 mg/kg/d		Rat (male / female)			Experimental value

#### **Conclusion**

Not classified for reprotoxic or developmental toxicity

#### **Toxicity other effects**

310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Chronic effects from short and long-term exposure

310mL Mungo MSI-NP weiss

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

310mL Mungo MSI-NP weiss

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

	Parameter	Method	Value	Duration	Species		Fresh/salt water	Value determination
Acute toxicity fishes	LL50	Equivalent to OECD 203	> 1028 mg/l	96 h	Scophthalmus maximus	Semi-static system	Salt water	Experimental value; GLP
Acute toxicity crustacea	LL50	ISO 14669	> 3193 mg/l	48 h	Acartia tonsa	Static system	Salt water	Experimental value; GLP
Toxicity algae and other aquatic plants	EC50	ISO 10253	> 10000 mg/l	72 h	Skeletonema costatum	Static system	Salt water	Experimental value; GLP
Long-term toxicity fish	NOELR		> 1000 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Growth rate
Long-term toxicity aquatic crustacea	NOELR		> 1000 mg/l	21 day(s)	Daphnia magna		Fresh water	QSAR
Toxicity aquatic micro- organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value; GLP

Reason for revision: 1.4

2-	bu	tar	nor	ie	oxi	m	e

	Parameter	Method	Value	Duration	Species		Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 100 mg/l	96 h	Oryzias latipes	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	201 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	EC50	OECD 201	11.8 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	2.56 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish	NOEC	OECD 204	≥ 100 mg/l	14 day(s)	Oryzias latipes	Flow- through system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC	OECD 211	≥ 100 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP

#### **Conclusion**

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

#### 12.2. Persistence and degradability

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

#### **B**iodegradation water

Method	Value	Duration	Value determination
OECD 306: Biodegradability in Seawater	74 %; GLP	28 day(s)	Experimental value

#### **Conclusion**

Contains readily biodegradable component(s)

## 12.3. Bioaccumulative potential

#### 310mL Mungo MSI-NP weiss

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

L	Log Kow									
	Method	Remark	Value	Temperature	Value determination					
		No data available								
<u>2-b</u>	utanone oxime	•								

#### BCE fichos

BCF fishes									
Parameter	Method	Value	Duration	Species	Value determination				
BCF	OECD 305	0.5 - 5.8; GLP	42 day(s)	Cyprinus carpio	Experimental value				
Log Kow									
Method	F	Remark	Value	Temperature	Value determination				
OECD 117			0.63		Experimental value				

#### **Conclusion**

Does not contain bioaccumulative component(s)

## 12.4. Mobility in soil

hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, <0.03% aromatics

#### Percent distribution

	Method	Fraction air	Fraction biota	Fraction	Fraction soil	Fraction water	Value determination
				sediment			
	Mackay level III	0.3 %		92.8 %	6.8 %	0.1 %	Calculated value
<u>2-b</u>	utanone oxime						

(log) Koc

Parameter	Method	Value	Value determination
log Koc		0.55	QSAR

#### **Conclusion**

Contains component(s) that adsorb(s) into the soil Contains component(s) with potential for mobility in the soil

## 12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

## 12.6. Other adverse effects

310mL Mungo MSI-NP weiss

Reason for revision: 1.4

Publication date: 2014-10-01 Date of revision: 2019-07-09

#### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014) **Ozone-depleting potential (ODP)** 

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

2-butanone oxime

Groundwater

Groundwater pollutant

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1. Waste treatment methods

## 13.1.1 Provisions relating to waste

#### European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09\* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

### Switzerland

#### Sonderabfälle.

Abfallcode entsprechend 814.610.1, Verordnung des UVEK über Listen zum Verkehr mit Abfällen.

Abfälle aus Herstellung, Zubereitung, Vertrieb und Anwendung von Beschichtungen (Farben, Lacke, Email), Klebstoffen, Dichtmassen und Druckfarben: Abfälle aus Herstellung, Zubereitung, Vertrieb und Anwendung von Klebstoffen und Dichtmassen (einschliesslich wasserabweisender Materialien): Klebstoffund Dichtmassenabfälle, die organische Lösungsmittel oder andere gefährliche Stoffe enthalten (08 04 09 S).

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

## 13.1.3 Packaging/Container

## **European Union**

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

#### Switzerland

Abfallcode entsprechend 814.610.1, Verordnung des UVEK über Listen zum Verkehr mit Abfällen.

15 01 10 Verpackungsabfall, Aufsaugmassen, Wischtücher, Filtermaterialien und Schutzkleidung (anderswo nicht genannt): Verpackungen (einschliesslich getrennt gesammelter kommunaler Verpackungsabfälle): Verpackungen, die Rückstände von Stoffen oder von Sonderabfällen mit besonders gefährlichen Eigenschaften enthalten oder durch Stoffe oder Sonderabfälle mit besonders gefährlichen Eigenschaften verunreinigt sind (15 01 10 S).

## **SECTION 14: Transport information**

## Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number		
Transport	Not subject	
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazards		
Environmentally hazardous substance mark	no	
14.6. Special precautions for user		
Special provisions		
Limited quantities		
14.7. Transport in bulk according to Annex II of Marpol and the	IBC Code	
Annex II of MARPOL 73/78	Not applicable, based on available data	

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **European legislation:**

VOC content Directive 2010/75/EU

VOC content	Remark
<1%	
< 9.7 g/l	

Reason for revision: 1.4

Publication date: 2014-10-01 Date of revision: 2019-07-09

Revision number: 0103

Product number: 55272

## **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

and use of certain dangero	us substances, mixtures and articles.	
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
hydrocarbons, C15-C20, n-alkanes,	Liquid substances or mixtures fulfilling the	1. Shall not be used in:
isoalkanes, cyclics, <0.03% aromatics · 2-butanone oxime	criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008:	<ul> <li>— ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,</li> <li>— tricks and jokes,</li> </ul>
	(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8	- games for one or more participants, or any article intended to be used as such, even
	types A and B, 2.9, 2.10, 2.12, 2.13 categories	
	1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	<ol> <li>Articles not complying with paragraph 1 shall not be placed on the market.</li> <li>Shall not be placed on the market if they contain a colouring agent, unless required for</li> </ol>
		fiscal reasons, or perfume, or both, if they:
		<ul> <li>– can be used as fuel in decorative oil lamps for supply to the general public, and,</li> </ul>
		<ul> <li>present an aspiration hazard and are labelled with H304,</li> <li>Decorative oil lamps for supply to the general public shall not be placed on the marke unless they conform to the European Standard on Decorative oil lamps (EN 14059) adop</li> </ul>
		by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the
		classification, packaging and labelling of dangerous substances and mixtures, suppliers sh ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legi and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of
		<ul> <li>lamps — may lead to life- threatening lung damage";</li> <li>b) grill lighter fluids, labelled with H304, intended for supply to the general public are leg and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead</li> </ul>
		life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general publ
		are packaged in black opaque containers not exceeding 1 litre by 1 December 2010. 6. No later than 1 June 2014, the Commission shall request the European Chemicals Age
		to prepare a dossier, in accordance with Article 69 of the present Regulation with a view ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled H304, inten for grant to the the regulation of the second s
		for supply to the general public. 7. Natural or legal persons placing on the market for the first time lamp oils and grill ligh
		fluids, labelled with H304, shall by 1 December 2011, and annually thereafter, provide d
		on alternatives to lamp oils and grill lighter fluids labelled H304 to the competent autho in the Member State concerned. Member States shall make those data available to the
		Commission.'
310mL Mungo MSI-NP weiss No data available		
<u>National legislation Spain</u> <u>310mL Mungo MSI-NP weiss</u>		
No data available		
National legislation Switzerland 310mL Mungo MSI-NP weiss		
	on de la maternité (RS_822.111.52)	
(RS_822.115.2)	s travaux dangereux pour les jeunes	
(RS_822.115)	on des jeunes travailleurs, OLT5	
Ordonnance sur la protectio		
chimiques, ORRChim (RS_8		
Ordonnance PIC, OPICChim	(RS_814.82)	
No data available hydrocarbons, C15-C20, n-alk	anes, isoalkanes, cyclics, <0.03% aromatics	
Krebserzeugende		nées); C2; Substances potentiellement cancérogènes chez l'homme.
National legislation Poland 310mL Mungo MSI-NP weiss		
No data available		
Other relevant data 310mL Mungo MSI-NP weiss		
No data available		
hydrocarbons, C15-C20, n-alk TLV - Carcinogen	anes, isoalkanes, cyclics, <0.03% aromatics Mineral oil, pure, highly and severely n	
son for revision: 1.4	printer and parey inghity and severely in	Publication date: 2014-10-01
NOT TOT LEVISION. 1.4		Date of revision: 2019-07-09

Product number: 55272

## 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

## SECTION 16: Other information

Full text of any H-statements referred to under heading 3:H304May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H317May cause an allergic skin reaction.H318Causes serious eye damage.H351Suspected of causing cancer.(\*)INTERNAL CLASSIFICATION BY BIGADIAcceptable daily intake

ADI	Acceptable dally intake
AOEL	Acceptable operator exposure level
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information for wither substances to held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 1.4

Publication date: 2014-10-01 Date of revision: 2019-07-09

Revision number: 0103